ELSEVIER

Brain Research 813 (1998) 416–418

BRAIN RESEARCH

Author Index

Abin, J.A., see Dajas-Bailador, F.A. (813) 18
Abou-Donia, M.B., see Gupta, R.P. (813) 32
Açikgöz, O., Gönenç, S., Kayatekin, B.M., Uysal, N., Pekçetin, Ç., Şemin, İ. and Güre, A.
Methamphetamine causes lipid peroxidation and an increase in superoxide dismutase activity in the rat striatum (813) 200
Acton, P.J., see Duong, T. (813) 303
Addicks, K., see Hess, A. (813) 97
A. Falls, W., see Heldt, S.A. (813) 274
Aizawa, S., see Minakawa, M. (813) 172
Akaike, N., see Ishibashi, H. (813) 121
Allen, J.W., see Aschner, M. (813) 254
Alley, K.E. and Omerza, F.F.
Reutilization of trigeminal motoneurons during amphibian metamorphosis (813) 187
Ameis, K.M., see Bose, P. (813) 334
Andressen, C., see Hess, A. (813) 97
Antle, M.C., Marchant, E.G., Niel, L. and Mistlberger, R.E.
Serotonin antagonists do not attenuate activity-induced phase shifts of circadian rhythms in the Syrian hamster (813) 139
Armstead, W.M.
Nitric oxide contributes to opioid release from glia during hypoxia (813) 398
Arnhold, S., see Hess, A. (813) 97
Aschner, M., Conklin, D.R., Yao, C.P., Allen, J.W. and Tan, K.H.
Induction of astrocyte metallothioneins (MTs) by zinc confers resistance against the acute cytotoxic effects of methylmercury on cell swelling, Na^+ uptake, and K^+ release (813) 254

Ba-M'Hamed, S., Viltart, O., Poulain, P. and Sequeira, H.
Distribution of cortical fibers and Fos immunoreactive neurons in ventrolateral medulla and in nucleus tractus solitarius following the motor cortex stimulation in the rat (813) 411
Balcioglu, A. and Wurtman, R.J.
Effects of fenfluramine and phentermine (fen–phen) on dopamine and serotonin release in rat striatum: in vivo microdialysis study in conscious animals (813) 67
Banerjee, P.K., Liu, C.C. and Snead, O.C.
Steroid-inhibition of [^{3}H]γ-hydroxybutyric acid (GHB) binding in thalamic relay nuclei increases during absence seizures (813) 343
Ben-Eliezer, D., see Meltzer, C.C. (813) 167
Berrettini, W.H., see Ferraro, T.N. (813) 207
Besson, J.-M., see Le Guen, S. (813) 128
Biella, G., see Sotgiu, M.L. (813) 223
Bloch, W., see Hess, A. (813) 97
Bo, X., see Xiang, Z. (813) 390
Bose, P., Fielding, R., Ameis, K.M. and Vacca-Galloway, L.L.
A novel behavioral method to detect motoneuron disease in Wobbler mice aged three to seven days old (813) 334
Bosque-Hamilton, P., see Newcomb, R. (813) 103
Buchkremer-Ratzmann, I., see Qü, M. (813) 374
Buono, R.J., see Ferraro, T.N. (813) 207
Burda, H., see Jastrow, H. (813) 229
Burnstock, G., see Xiang, Z. (813) 390

Cagampang, F.R.A., Piggins, H.D., Sheward, W.J., Harmar, A.J. and Coen, C.W.
Circadian changes in PACAP type 1 (PAC_1) receptor mRNA in the rat suprachiasmatic and supraoptic nuclei (813) 218
Cantwell, M.N., see Meltzer, C.C. (813) 167
Catheline, G., see Le Guen, S. (813) 128
Chan, Y.S., see Han, Y.M.Y. (813) 262
Chase, T.N., see Oh, J.D. (813) 150
Coen, C.W., see Cagampang, F.R.A. (813) 218
Conklin, D.R., see Aschner, M. (813) 254
Costa, G., see Dajas-Bailador, F.A. (813) 18
Curthoys, N., see Newcomb, R. (813) 103

Dajas-Bailador, F.A., Martinez-Borges, A., Costa, G., Abin, J.A., Martignoni, E., Nappi, G. and Dajas, F.
Hydroxyl radical production in the substantia nigra after 6-hydroxydopamine and hypoxia-reoxygenation (813) 18
Dajas, F., see Dajas-Bailador, F.A. (813) 18
De Jong, J., see Schaaf, M.J.M. (813) 112
De Kloet, E.R., see Schaaf, M.J.M. (813) 112
DeKosky, S.T., see Meltzer, C.C. (813) 167
Delbeke, J., see Veraart, C. (813) 181
Dickson, D.W., see Zhao, M.-L. (813) 402
Diéguez, G., Fernández, N., Sánchez, M.A., García-Villalón, A.L., Monge, L. and Gómez, B.
Adrenergic reactivity after inhibition of nitric oxide synthesis in the cerebral circulation of awake goats (813) 381
Duong, T., Acton, P.J. and Johnson, R.A.
The in vitro neuronal toxicity of pentraxins associated with Alzheimer's disease brain lesions (813) 303

Endo, K., see Yamaguchi, S. (813) 351

Fernández, N., see Diéguez, G. (813) 381
Ferraro, T.N., Golden, G.T., Snyder, R., Laibinis, M., Smith, G.G., Buono, R.J. and Berrettini, W.H.
Genetic influences on electrical seizure threshold (813) 207
Fielding, R., see Bose, P. (813) 334
Ford, A., see Xiang, Z. (813) 390
Formaglio, F., see Sotgiu, M.L. (813) 223

García-Villalón, A.L., see Diéguez, G. (813) 381
Gold, P.E., see Stefani, M.R. (813) 50
Golden, G.T., see Ferraro, T.N. (813) 207
Gómez, B., see Diéguez, G. (813) 381
Gönenç, S., see Açikgöz, O. (813) 200
Graeber, M.B., López-Redondo, F., Ikoma, E., Ishikawa, M., Imai, Y., Nakajima, K., Kreutzberg, G.W. and Kohsaka, S.
The microglia/macrophage response in the neonatal rat facial nucleus following axotomy (813) 241
Greer, P., see Meltzer, C.C. (813) 167
Gupta, R.P. and Abou-Donia, M.B.
Tau proteins-enhanced Ca^{2+}/calmodulin (CaM)-dependent phosphorylation by the brain supernatant of diisopropyl phosphorofluoridate (DFP)-treated hen: tau mutants indicate phosphorylation of more amino acids in tau by CaM kinase II (813) 32
Güre, A., see Açikgöz, O. (813) 200

Hagino, H., Tabuchi, E., Kurachi, M., Saitoh, O., Sun, Y., Kondoh, T., Ono, T. and Torii, K.
Effects of D_2 dopamine receptor agonist and antagonist on brain activity in the rat assessed by functional magnetic resonance imaging (813) 367
Halonen, T., see Miettinen, R. (813) 9
Han, Y.M.Y., Chan, Y.S., Lo, K.S. and Wong, T.M.
Spontaneous activity and barosensitivity of the barosensitive neurons in the rostral ventrolateral medulla of hypertensive rats induced by transection of aortic depressor nerves (813) 262
Harmar, A.J., see Cagampang, F.R.A. (813) 218
He, D., see Zhao, M.-L. (813) 402
Heldt, S.A. and A. Falls, W.
Destruction of the auditory thalamus disrupts the production of fear but not the inhibition of fear conditioned to an auditory stimulus (813) 274

ELSEVIER

Brain Research 813 (1998) 416–418

BRAIN RESEARCH

Author Index

Abin, J.A., see Dajas-Bailador, F.A. (813) 18
Abou-Donia, M.B., see Gupta, R.P. (813) 32
Açikgöz, O., Gönenç, S., Kayatekin, B.M., Uysal, N., Pekçetin, Ç., Şemin, İ. and Güre, A.
Methamphetamine causes lipid peroxidation and an increase in superoxide dismutase activity in the rat striatum (813) 200
Acton, P.J., see Duong, T. (813) 303
Addicks, K., see Hess, A. (813) 97
A. Falls, W., see Heldt, S.A. (813) 274
Aizawa, S., see Minakawa, M. (813) 172
Akaike, N., see Ishibashi, H. (813) 121
Allen, J.W., see Aschner, M. (813) 254
Alley, K.E. and Omerza, F.F.
Reutilization of trigeminal motoneurons during amphibian metamorphosis (813) 187
Ameis, K.M., see Bose, P. (813) 334
Andressen, C., see Hess, A. (813) 97
Antle, M.C., Marchant, E.G., Niel, L. and Mistlberger, R.E.
Serotonin antagonists do not attenuate activity-induced phase shifts of circadian rhythms in the Syrian hamster (813) 139
Armstead, W.M.
Nitric oxide contributes to opioid release from glia during hypoxia (813) 398
Arnhold, S., see Hess, A. (813) 97
Aschner, M., Conklin, D.R., Yao, C.P., Allen, J.W. and Tan, K.H.
Induction of astrocyte metallothioneins (MTs) by zinc confers resistance against the acute cytotoxic effects of methylmercury on cell swelling, Na^+ uptake, and K^+ release (813) 254

Ba-M'Hamed, S., Viltart, O., Poulain, P. and Sequeira, H.
Distribution of cortical fibers and Fos immunoreactive neurons in ventrolateral medulla and in nucleus tractus solitarius following the motor cortex stimulation in the rat (813) 411
Balcioglu, A. and Wurtman, R.J.
Effects of fenfluramine and phentermine (fen–phen) on dopamine and serotonin release in rat striatum: in vivo microdialysis study in conscious animals (813) 67
Banerjee, P.K., Liu, C.C. and Snead, O.C.
Steroid-inhibition of [^{3}H]γ-hydroxybutyric acid (GHB) binding in thalamic relay nuclei increases during absence seizures (813) 343
Ben-Eliezer, D., see Meltzer, C.C. (813) 167
Berrettini, W.H., see Ferraro, T.N. (813) 207
Besson, J.-M., see Le Guen, S. (813) 128
Biella, G., see Sotgiu, M.L. (813) 223
Bloch, W., see Hess, A. (813) 97
Bo, X., see Xiang, Z. (813) 390
Bose, P., Fielding, R., Ameis, K.M. and Vacca-Galloway, L.L.
A novel behavioral method to detect motoneuron disease in Wobbler mice aged three to seven days old (813) 334
Bosque-Hamilton, P., see Newcomb, R. (813) 103
Buchkremer-Ratzmann, I., see Qü, M. (813) 374
Buono, R.J., see Ferraro, T.N. (813) 207
Burda, H., see Jastrow, H. (813) 229
Burnstock, G., see Xiang, Z. (813) 390

Cagampang, F.R.A., Piggins, H.D., Sheward, W.J., Harmar, A.J. and Coen, C.W.
Circadian changes in PACAP type 1 (PAC_1) receptor mRNA in the rat suprachiasmatic and supraoptic nuclei (813) 218
Cantwell, M.N., see Meltzer, C.C. (813) 167
Catheline, G., see Le Guen, S. (813) 128
Chan, Y.S., see Han, Y.M.Y. (813) 262
Chase, T.N., see Oh, J.D. (813) 150
Coen, C.W., see Cagampang, F.R.A. (813) 218
Conklin, D.R., see Aschner, M. (813) 254
Costa, G., see Dajas-Bailador, F.A. (813) 18
Curthoys, N., see Newcomb, R. (813) 103

Dajas-Bailador, F.A., Martinez-Borges, A., Costa, G., Abin, J.A., Martignoni, E., Nappi, G. and Dajas, F.
Hydroxyl radical production in the substantia nigra after 6-hydroxydopamine and hypoxia-reoxygenation (813) 18
Dajas, F., see Dajas-Bailador, F.A. (813) 18
De Jong, J., see Schaaf, M.J.M. (813) 112
De Kloet, E.R., see Schaaf, M.J.M. (813) 112
DeKosky, S.T., see Meltzer, C.C. (813) 167
Delbeke, J., see Veraart, C. (813) 181
Dickson, D.W., see Zhao, M.-L. (813) 402
Diéguez, G., Fernández, N., Sánchez, M.A., García-Villalón, A.L., Monge, L. and Gómez, B.
Adrenergic reactivity after inhibition of nitric oxide synthesis in the cerebral circulation of awake goats (813) 381
Duong, T., Acton, P.J. and Johnson, R.A.
The in vitro neuronal toxicity of pentraxins associated with Alzheimer's disease brain lesions (813) 303

Endo, K., see Yamaguchi, S. (813) 351

Fernández, N., see Diéguez, G. (813) 381
Ferraro, T.N., Golden, G.T., Snyder, R., Laibinis, M., Smith, G.G., Buono, R.J. and Berrettini, W.H.
Genetic influences on electrical seizure threshold (813) 207
Fielding, R., see Bose, P. (813) 334
Ford, A., see Xiang, Z. (813) 390
Formaglio, F., see Sotgiu, M.L. (813) 223

García-Villalón, A.L., see Diéguez, G. (813) 381
Gold, P.E., see Stefani, M.R. (813) 50
Golden, G.T., see Ferraro, T.N. (813) 207
Gómez, B., see Diéguez, G. (813) 381
Gönenç, S., see Açikgöz, O. (813) 200
Graeber, M.B., López-Redondo, F., Ikoma, E., Ishikawa, M., Imai, Y., Nakajima, K., Kreutzberg, G.W. and Kohsaka, S.
The microglia/macrophage response in the neonatal rat facial nucleus following axotomy (813) 241
Greer, P., see Meltzer, C.C. (813) 167
Gupta, R.P. and Abou-Donia, M.B.
Tau proteins-enhanced Ca^{2+}/calmodulin (CaM)-dependent phosphorylation by the brain supernatant of diisopropyl phosphorofluoridate (DFP)-treated hen: tau mutants indicate phosphorylation of more amino acids in tau by CaM kinase II (813) 32
Güre, A., see Açikgöz, O. (813) 200

Hagino, H., Tabuchi, E., Kurachi, M., Saitoh, O., Sun, Y., Kondoh, T., Ono, T. and Torii, K.
Effects of D_2 dopamine receptor agonist and antagonist on brain activity in the rat assessed by functional magnetic resonance imaging (813) 367
Halonen, T., see Miettinen, R. (813) 9
Han, Y.M.Y., Chan, Y.S., Lo, K.S. and Wong, T.M.
Spontaneous activity and barosensitivity of the barosensitive neurons in the rostral ventrolateral medulla of hypertensive rats induced by transection of aortic depressor nerves (813) 262
Harmar, A.J., see Cagampang, F.R.A. (813) 218
He, D., see Zhao, M.-L. (813) 402
Heldt, S.A. and A. Falls, W.
Destruction of the auditory thalamus disrupts the production of fear but not the inhibition of fear conditioned to an auditory stimulus (813) 274

Hernandez, L., see Tucci, S. (813) 44
Hess, A., Bloch, W., Arnhold, S., Andressen, C., Stennert, E., Addicks, K. and Michel, O.
Nitric oxide synthase in the vestibulocochlear system of mice (813) 97
Hill Britton, B., see Rosen, J.H. (813) 177
Höglinger, G.U., Sautter, J., Meyer, M., Spenger, C., Seiler, R.W., Oertel, W.H. and Widmer, H.R.
Rat fetal ventral mesencephalon grown as solid tissue cultures: influence of culture time and BDNF treatment on dopamine neuron survival and function (813) 313
Hohmann, A.G., see Strangman, N.M. (813) 323
Hori, Y., see Yamaguchi, S. (813) 351
Humbert, G., see Parietti, C. (813) 57

Ibrahim, N., Shibuya, I., Kabashima, N., Setiadji, V.S., Ueta, Y. and Yamashita, H.
$GABA_B$ receptor-mediated inhibition of spontaneous action potential discharge in rat supraoptic neurons in vitro (813) 88
Ikoma, E., see Graeber, M.B. (813) 241
Imai, Y., see Graeber, M.B. (813) 241
Ishibashi, H., Murai, Y. and Akaike, N.
Effect of nilvadipine on the voltage-dependent Ca^{2+} channels in rat hippocampal CA1 pyramidal neurons (813) 121
Ishikawa, M., see Graeber, M.B. (813) 241

Jacob, N., Vuillez, P., Møller, M. and Pévet, P.
Photoperiodic dependent changes in the number of neurons containing mRNA encoding neuropeptide Y in the intergeniculate leaflet of the Syrian hamster (813) 160
Jastrow, H., Burda, H. and Oelschläger, H.H.A.
Unilateral absence of the terminal nerve and distribution of gonadotropin-releasing hormone immunoreactive neurons in the brain of the common mole-rat (*Cryptomys*, Rodentia) (813) 229
Jia, H., see Zhang, S. (813) 359
Johnson, R.A., see Duong, T. (813) 303

Kabashima, N., see Ibrahim, N. (813) 88
Kano, T., see Newcomb, R. (813) 103
Karimnamazi, H. and Travers, J.B.
Differential projections from gustatory responsive regions of the parabrachial nucleus to the medulla and forebrain (813) 283
Kawatani, M., see Sato, M. (813) 203
Kayatekin, B.M., see Açikgöz, O. (813) 200
Kaye, W., see Meltzer, C.C. (813) 167
Kitajima, T., see Yamaguchi, S. (813) 351
Kohsaka, S., see Graeber, M.B. (813) 241
Kondoh, T., see Hagino, H. (813) 367
Kotti, T., see Miettinen, R. (813) 9
Kreutzberg, G.W., see Graeber, M.B. (813) 241
Križ, J., see Tekkök, S. (813) 268
Krnjević, K., see Tekkök, S. (813) 268
Kurachi, M., see Hagino, H. (813) 367

Laibinis, M., see Ferraro, T.N. (813) 207
Lee, S.C., see Zhao, M.-L. (813) 402
Le Guen, S., Catheline, G. and Besson, J.-M.
Development of tolerance to the antinociceptive effect of systemic morphine at the lumbar spinal cord level: a c-Fos study in the rat (813) 128
Lenoir, M., see Parietti, C. (813) 57
Liu, C.C., see Banerjee, P.K. (813) 343
Liu, J.S.H., see Zhao, M.-L. (813) 402
Lo, E.H., see Newcomb, R. (813) 103
Lo, K.S., see Han, Y.M.Y. (813) 262
López-Redondo, F., see Graeber, M.B. (813) 241
Lopresti, B., see Meltzer, C.C. (813) 167

Maeda, K.-I., see Maekawa, F. (813) 195
Maekawa, F., Tsukahara, S., Tsukamura, H., Maeda, K.-I. and Yamanouchi, K.
Inhibitory effect of neural transections of dorsal raphe nucleus on induction of nocturnal prolactin surge by vaginal stimulation in ovariectomized rats (813) 195
Marchant, E.G., see Antle, M.C. (813) 139
Marchettini, P., see Sotgiu, M.L. (813) 223
Martignoni, E., see Dajas-Bailador, F.A. (813) 18
Martinez-Borges, A., see Dajas-Bailador, F.A. (813) 18
Mathis, C.A., see Meltzer, C.C. (813) 167
McAdory, B.S., Van Eldik, L.J. and Norden, J.J.
S100B, a neurotropic protein that modulates neuronal protein phosphorylation, is upregulated during lesion-induced collateral sprouting and reactive synaptogenesis (813) 211
Meltzer, C.C., Smith, G., Price, J.C., Reynolds III, C.F., Mathis, C.A., Greer, P., Lopresti, B., Mintun, M.A., Pollock, B.G., Ben-Eliezer, D., Cantwell, M.N., Kaye, W. and DeKosky, S.T.
Reduced binding of [^{18}F]altanserin to serotonin type 2A receptors in aging: persistence of effect after partial volume correction (813) 167
Meng, W., see Newcomb, R. (813) 103
Meyer, M., see Höglinger, G.U. (813) 313
Michaux, G., see Veraart, C. (813) 181
Michel, O., see Hess, A. (813) 97
Miettinen, R., Kotti, T., Tuunanen, J., Toppinen, A., Riekkinen Sr., P. and Halonen, T.
Hippocampal damage after injection of kainic acid into the rat entorhinal cortex (813) 9
Minakawa, M., Sugimoto, T., Aizawa, S. and Tomooka, Y.
Cerebellar cell lines established from a p53-deficient adult mouse (813) 172
Mintun, M.A., see Meltzer, C.C. (813) 167
Mistlberger, R.E., see Antle, M.C. (813) 139
Møller, M., see Jacob, N. (813) 160
Monge, L., see Diéguez, G. (813) 381
Mortimer, J.T., see Veraart, C. (813) 181
Murai, Y., see Ishibashi, H. (813) 121

Nakach, N., see Paredes, R.G. (813) 1
Nakajima, K., see Graeber, M.B. (813) 241
Nappi, G., see Dajas-Bailador, F.A. (813) 18
Newcomb, R., Pierce, A.R., Kano, T., Meng, W., Bosque-Hamilton, P., Taylor, L., Curthoys, N. and Lo, E.H.
Characterization of mitochondrial glutaminase and amino acids at prolonged times after experimental focal cerebral ischemia (813) 103
Niel, L., see Antle, M.C. (813) 139
Norden, J.J., see McAdory, B.S. (813) 211
Nunomura, A., see Velasco, M.E. (813) 329

Oelschläger, H.H.A., see Jastrow, H. (813) 229
Oertel, W.H., see Höglinger, G.U. (813) 313
Ogata, H., see Yamaguchi, S. (813) 351
Oglesby, I., see Xiang, Z. (813) 390
Oh, J.D., Russell, D., Vaughan, C.L. and Chase, T.N.
Enhanced tyrosine phosphorylation of striatal NMDA receptor subunits: effect of dopaminergic denervation and L-DOPA administration (813) 150
Omerza, F.F., see Alley, K.E. (813) 187
Ono, T., see Hagino, H. (813) 367
Oppenheimer, S.M., see Zhang, Z.-H. (813) 73

Padjen, A.L., see Tekkök, S. (813) 268
Palmer, G.C., see Preston, E. (813) 191
Paredes, R.G., Tzschentke, T. and Nakach, N.
Lesions of the medial preoptic area/anterior hypothalamus (MPOA/AH) modify partner preference in male rats (813) 1
Parietti, C., Vago, P., Humbert, G. and Lenoir, M.
Attempt at hair cell neodifferentiation in developing and adult amikacin intoxicated rat cochleae (813) 57
Parrini, S., see Veraart, C. (813) 181
Patrick, S.L., see Strangman, N.M. (813) 323
Pekçetin, Ç., see Açikgöz, O. (813) 200
Perry, G., see Velasco, M.E. (813) 329
Pévet, P., see Jacob, N. (813) 160
Pierce, A.R., see Newcomb, R. (813) 103
Piggins, H.D., see Cagampang, F.R.A. (813) 218
Pins, D., see Veraart, C. (813) 181
Pollock, B.G., see Meltzer, C.C. (813) 167
Poulain, P., see Ba-M'Hamed, S. (813) 411
Preston, E., Webster, J. and Palmer, G.C.
Lack of evidence for direct involvement of NMDA receptors or polyamines in blood–brain barrier injury after cerebral ischemia in rats (813) 191
Price, J.C., see Meltzer, C.C. (813) 167

Qü, M., Buchkremer-Ratzmann, I., Schiene, K., Schroeter, M., Witte, O.W. and Zilles, K.
Bihemispheric reduction of $GABA_A$ receptor binding following focal cortical photothrombotic lesions in the rat brain (813) 374

Rada, P., see Tucci, S. (813) 44
Raftopoulos, C., see Veraart, C. (813) 181
Rashba, S., see Zhang, Z.-H. (813) 73
Reynolds III, C.F., see Meltzer, C.C. (813) 167
Riekkinen Sr., P., see Miettinen, R. (813) 9

Rosen, J.H., Thompson, G.C., Hill Britton, B. and Thompson, A.M.
Neurodegenerative changes in the guinea pig brainstem after intratympanic injection of gentamicin (813) 177
Rothblat, D.S., see Schneider, J.S. (813) 82
Russell, D., see Oh, J.D. (813) 150

Saitoh, O., see Hagino, H. (813) 367
Sánchez, M.A., see Diéguez, G. (813) 381
Sato, M. and Kawatani, M.
Dibutyryl cGMP raises cytosolic concentrations of Ca^{2+} in cultured nodose ganglion neurons of the rabbit (813) 203
Sautter, J., see Höglinger, G.U. (813) 313
Schaaf, M.J.M., De Jong, J., De Kloet, E.R. and Vreugdenhil, E.
Downregulation of BDNF mRNA and protein in the rat hippocampus by corticosterone (813) 112
Schiene, K., see Qü, M. (813) 374
Schneider, J.S., Schroeder, J.A. and Rothblat, D.S.
Differential recovery of sensorimotor function in GM1 ganglioside-treated vs. spontaneously recovered MPTP-treated cats: partial striatal dopaminergic reinnervation vs. neurochemical compensation (813) 82
Schroeder, J.A., see Schneider, J.S. (813) 82
Schroeter, M., see Qü, M. (813) 374
Seiler, R.W., see Höglinger, G.U. (813) 313
Şemin, İ., see Açikgöz, O. (813) 200
Sequeira, H., see Ba-M'Hamed, S. (813) 411
Setiadji, V.S., see Ibrahim, N. (813) 88
Sheward, W.J., see Cagampang, F.R.A. (813) 218
Shibuya, I., see Ibrahim, N. (813) 88
Siedlak, S.L., see Velasco, M.E. (813) 329
Smith, G., see Meltzer, C.C. (813) 167
Smith, G.G., see Ferraro, T.N. (813) 207
Smith, M.A., see Velasco, M.E. (813) 329
Snead, O.C., see Banerjee, P.K. (813) 343
Snyder, R., see Ferraro, T.N. (813) 207
Sotgiu, M.L., Biella, G., Formaglio, F. and Marchettini, P.
Central effect of Ketorolac involving NMDA receptors activity (813) 223
Spenger, C., see Höglinger, G.U. (813) 313
Stefani, M.R. and Gold, P.E.
Intra-septal injections of glucose and glibenclamide attenuate galanin-induced spontaneous alternation performance deficits in the rat (813) 50
Stennert, E., see Hess, A. (813) 97
Strangman, N.M., Patrick, S.L., Hohmann, A.G., Tsou, K. and Walker, J.M.
Evidence for a role of endogenous cannabinoids in the modulation of acute and tonic pain sensitivity (813) 323
Sugimoto, T., see Minakawa, M. (813) 172
Sun, F., see Wei, M. (813) 406
Sun, Y., see Hagino, H. (813) 367

Tabuchi, E., see Hagino, H. (813) 367
Tan, K.H., see Aschner, M. (813) 254
Tang, J.-S., see Zhang, S. (813) 359
Taylor, L., see Newcomb, R. (813) 103
Tekkök, S., Križ, J., Padjen, A.L. and Krnjević, K.
Higher sensitivity of CA1 synapses to aglycemia in streptozotocin-diabetic rats is age-dependent (813) 268
Thompson, A.M., see Rosen, J.H. (813) 177
Thompson, G.C., see Rosen, J.H. (813) 177
Tomooka, Y., see Minakawa, M. (813) 172
Toppinen, A., see Miettinen, R. (813) 9
Torii, K., see Hagino, H. (813) 367
Travers, J.B., see Karimnamazi, H. (813) 283
Tsou, K., see Strangman, N.M. (813) 323
Tsukahara, S., see Maekawa, F. (813) 195
Tsukamura, H., see Maekawa, F. (813) 195
Tucci, S., Rada, P. and Hernandez, L.
Role of glutamate in the amygdala and lateral hypothalamus in conditioned taste aversion (813) 44
Tuunanen, J., see Miettinen, R. (813) 9
Tzschentke, T., see Paredes, R.G. (813) 1

Ueta, Y., see Ibrahim, N. (813) 88
Uysal, N., see Açikgöz, O. (813) 200

Vacca-Galloway, L.L., see Bose, P. (813) 334
Vago, P., see Parietti, C. (813) 57
Van Eldik, L.J., see McAdory, B.S. (813) 211
Vanlierde, A., see Veraart, C. (813) 181
Vaughan, C.L., see Oh, J.D. (813) 150
Velasco, M.E., Smith, M.A., Siedlak, S.L., Nunomura, A. and Perry, G.
Striation is the characteristic neuritic abnormality in Alzheimer disease (813) 329
Veraart, C., Raftopoulos, C., Mortimer, J.T., Delbeke, J., Pins, D., Michaux, G., Vanlierde, A., Parrini, S. and Wanet-Defalque, M.-C.
Visual sensations produced by optic nerve stimulation using an implanted self-sizing spiral cuff electrode (813) 181
Viltart, O., see Ba-M'Hamed, S. (813) 411
Virag, L., see Vulliemoz, Y. (813) 26
Vreugdenhil, E., see Schaaf, M.J.M. (813) 112
Vuillez, P., see Jacob, N. (813) 160
Vulliemoz, Y., Virag, L. and Whittington, R.A.
Interaction of the α-2 adrenergic- and opioid receptor with the cGMP system in the mouse cerebellum (813) 26

Walker, J.M., see Strangman, N.M. (813) 323
Wanet-Defalque, M.-C., see Veraart, C. (813) 181
Webster, J., see Preston, E. (813) 191
Wei, M. and Sun, F.
The alternation of optokinetic responses driven by moving stimuli in humans (813) 406
Whittington, R.A., see Vulliemoz, Y. (813) 26
Widmer, H.R., see Höglinger, G.U. (813) 313
Witte, O.W., see Qü, M. (813) 374
Wong, T.M., see Han, Y.M.Y. (813) 262
Wurtman, R.J., see Balcioglu, A. (813) 67

Xiang, Z., Bo, X., Oglesby, I., Ford, A. and Burnstock, G.
Localization of ATP-gated $P2X_2$ receptor immunoreactivity in the rat hypothalamus (813) 390

Yamaguchi, S., Endo, K., Kitajima, T., Ogata, H. and Hori, Y.
Involvement of the glutamate transporter and the sodium–calcium exchanger in the hypoxia-induced increase in intracellular Ca^{2+} in rat hippocampal slices (813) 351
Yamanouchi, K., see Maekawa, F. (813) 195
Yamashita, H., see Ibrahim, N. (813) 88
Yao, C.P., see Aschner, M. (813) 254
Yuan, B., see Zhang, S. (813) 359

Zhang, S., Tang, J.-S., Yuan, B. and Jia, H.
Inhibitory effects of electrical stimulation of ventrolateral orbital cortex on the rat jaw-opening reflex (813) 359
Zhang, Z.-H., Rashba, S. and Oppenheimer, S.M.
Insular cortex lesions alter baroreceptor sensitivity in the urethane-anesthetized rat (813) 73
Zhao, M.-L., Liu, J.S.H., He, D., Dickson, D.W. and Lee, S.C.
Inducible nitric oxide synthase expression is selectively induced in astrocytes isolated from adult human brain (813) 402
Zilles, K., see Qü, M. (813) 374